

EVC/Bioregion Benchmark for Vegetation Quality Assessment

Gippsland Plain bioregion

EVC 53: Swamp Scrub

Description:

Closed scrub to 8 m tall at low elevations on alluvial deposits along streams or on poorly drained sites with higher nutrient availability. The EVC is dominated by Swamp Paperbark *Melaleuca ericifolia* (or sometimes Woolly Tea-tree *Leptospermum lanigerum*) which often forms a dense thicket, out-competing other species. Occasional emergent eucalypts may be present. Where light penetrates to ground level, a moss/lichen/liverwort or herbaceous ground cover is often present. Dry variants have a grassy/herbaceous ground layer.

Canopy Cover:

%cover	Character Species	Common Name
50%	<i>Leptospermum lanigerum</i> <i>Melaleuca ericifolia</i>	Woolly Tea-tree Swamp Paperbark

Understorey:

Life form	#Spp	%Cover	LF code
Medium Shrub	2	10%	MS
Small Shrub	2	1%	SS
Large Herb	2	5%	LH
Medium Herb	3	15%	MH
Small or Prostrate Herb	2	5%	SH
Large Tufted Graminoid	2	10%	LTG
Large Non-tufted Graminoid	3	10%	LNG
Medium to Small Tufted Graminoid	2	5%	MTG
Medium to Tiny Non-tufted Graminoid	2	15%	MNG
Ground Fern	1	5%	GF
Scrambler or Climber	1	1%	SC
Bryophytes/Lichens	na	20%	BL

LF Code	Species typical of at least part of EVC range	Common Name
MS	<i>Coprosma quadrifida</i>	Prickly Currant-bush
MS	<i>Leptospermum continentale</i>	Prickly Tea-tree
LH	<i>Lycopus australis</i>	Australian Gipsywort
LH	<i>Lythrum salicaria</i>	Purple Loosestrife
LH	<i>Persicaria praetermissa</i>	Spotted Knotweed
MH	<i>Hydrocotyle pterocarpa</i>	Wing Pennywort
MH	<i>Stellaria angustifolia</i>	Swamp Starwort
MH	<i>Lobelia anceps</i>	Angled Lobelia
SH	<i>Crassula helmsii</i>	Swamp Crassula
LTG	<i>Juncus procerus</i>	Tall Rush
LTG	<i>Poa labillardierei</i>	Common Tussock-grass
LNG	<i>Gahnia radula</i>	Thatch Saw-sedge
LNG	<i>Phragmites australis</i>	Common Reed
LNG	<i>Baumea rubiginosa</i> s.l.	Soft Twig-rush
MTG	<i>Triglochin procerum</i> s.l.	Water Ribbons
MTG	<i>Juncus gregiflorus</i>	Green Rush
MNG	<i>Eleocharis acuta</i>	Common Spike-sedge
GF	<i>Blechnum cartilagineum</i>	Gristle Fern
SC	<i>Calystegia sepium</i>	Large Bindweed

EVC 53: Swamp Scrub - Gippsland Plain bioregion

Recruitment:

Continuous

Organic Litter:

40 % cover

Weediness:

LF Code	Typical Weed Species	Common Name	Invasive	Impact
MH	<i>Hypochoeris radicata</i>	Cat's Ear	high	low
LNG	<i>Holcus lanatus</i>	Yorkshire Fog	high	high

Published by the Victorian Government Department of Sustainability and Environment November 2007

© The State of Victoria Department of Sustainability and Environment 2007

This publication is copyright. Reproduction and the making available of this material for personal, in-house or non-commercial purposes is authorised, on condition that:

- the copyright owner is acknowledged;
- no official connection is claimed;
- the material is made available without charge or at cost; and
- the material is not subject to inaccurate, misleading or derogatory treatment.

Requests for permission to reproduce or communicate this material in any way not permitted by this licence (or by the fair dealing provisions of the *Copyright Act 1968*) should be directed to the Nominated Officer, Copyright, 8 Nicholson Street, East Melbourne, Victoria, 3002.

For more information contact: Customer Service Centre, 136 186

This publication may be of assistance to you but the State of Victoria and its employees do not guarantee that the publication is without flaw of any kind or is wholly appropriate for your particular purposes and therefore disclaims all liability for any error, loss or other consequence which may arise from you relying on any information in this publication.

www.dse.vic.gov.au